



SAFETY DATA SHEET

Natural-Luster

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product Name: Natural-Luster
Product Codes(s): Natural-Luster
Synonym(s): Aqueous polyacrylate/polyurethane dispersion
REACH Registration: No data available

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Sealer for pavers and masonry
Uses advised against: No uses advised against

1.3 Details of the supplier and of the safety data sheet

Manufacturer/Distributor
Seal 'n Lock System Corp.
13215 N. Nebraska Avenue, Bldg. A
Tampa, FL 33612 USA
813-852-1500

1.4 Emergency telephone number: INFOTRAC: 800-535-5053; Outside the USA or Canada: +1-352-323-3500

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Product definition: Mixture
Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation (EC) No 1272/2008
Eye Irritation - Category 2B [H320]

2.2 Label Elements

Hazard Symbol(s): None
Signal Word: Warning
Hazard Statement(s): H320 - Causes eye irritation

Precautionary Statements

[Prevention] P264 - Wash hands and other skin areas exposed to material thoroughly after handling.
[Response] P337 + P313 - If eye irritation persists: Get medical attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
<40	Acrylic Polymer	Proprietary	-----	-----	-----
<10	Aliphatic Polyurethane/Acrylic Hybrid	Proprietary	-----	-----	-----
<10	Diethylene Glycol Monobutyl Ether	112-34-5	203-961-6	603-096-00-8	H319
<3	Surfactant Blend	Proprietary	-----	-----	H315, H318, H361f

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. Loosen tight fitting clothing such as a collar, tie, belt or waistband. If symptoms persist, seek medical attention.

Eyes: Immediately flush eyes with large amounts of water for at least 15 minutes, holding the eyes open with finger tips and occasionally lifting the upper and lower lids. Use lukewarm water if possible. Remove contact lenses, if present and easy to do, after the first 2 minutes and continue rinsing. If eye irritation persists, seek medical attention, preferably from an ophthalmologist.

Skin: Flush skin with large amounts of water while removing contaminated clothing and continue rinsing for at least 15 minutes. Use lukewarm water, if possible. Wash contaminated clothing and shoes thoroughly before reuse. If skin irritation persists or if rash develops, seek medical attention.

Ingestion: Rinse mouth thoroughly with water if the victim is conscious. Remove dentures, if any. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Potential health symptoms and effects

Eyes: Causes eye irritation. Symptoms may include redness, swelling, stinging and tearing.

Skin: May cause skin irritation. Symptoms include localized redness, itching and discomfort. May cause skin rash in susceptible individuals.

Inhalation: Mist or vapor may cause irritation of the nose, throat and respiratory tract. Symptoms may include sore throat, coughing, headache, nausea and shortness of breath.

Ingestion: May cause gastrointestinal irritation with nausea, abdominal pain, vomiting and diarrhea. May cause headache and dizziness. Repeated ingestion may be harmful.

Chronic: Pre-existing disorders of the skin and respiratory system may be aggravated by exposure to this product.

4.3 Indication of any immediate medical attention and special treatment needed

Advice to Doctor and Hospital Personnel: Treat symptomatically and supportively.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishable media

Suitable methods of extinction: Use extinguishing media appropriate for the surrounding fire.

Unsuitable methods of extinction: None known

5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

Explosion hazards: None known

5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff water to prevent environmental contamination.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing designated in Section 8. Remove all sources of ignition. Ventilate the area. No smoking.

6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

6.3 Methods and materials for containment and cleaning up

Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Wash contaminated area with soap and water. Dispose of in accordance with national and local regulations.

6.4 Reference to other sections

For indications about waste treatment, see Section 13.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8. Do not get in eyes or on skin or clothing. Do not inhale mist or vapor. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator.

Advice on protection against fire and explosion

No special precautions against fire and explosion are required.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10.5), food and drink. Transfer only to approved containers having correct labeling. Keep containers tightly closed. Keep from freezing. Protect containers against physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers of this material may be hazardous when empty as they contain product residue. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Do not take internally. Keep out of reach of children.

7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limits

8.2 Exposure controls

Engineering Measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking or using the lavatory.

Eye/face protection: Wear protective goggles or safety glasses with unperforated side shields during use. Refer to 29 CFR 1910.133, ANSI Z87.1 or European Standard EN 166.

Hand Protection: Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Other protective equipment: Wear protective clothing. Wear protective boots if the situation requires.

Respiratory Protection: None required with normal use. Always use an approved respirator when vapor/aerosols are generated. Where risk assessment shows air-purifying respirators are appropriate use a full-faced respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls: Do not empty into drains.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Milky white liquid
Odor	Mild
Odor Threshold	No data available
Molecular Weight	No data available
Chemical Formula	Not applicable
pH	No data available
Freezing/Melting Point, Range	No data available
Initial Boiling Point	100 °C (212 °F)
Evaporation Rate	Not established
Flammability (solid, gas)	Not applicable
Flash Point	>200 °C (>392 °F)
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Lower Explosive Limit (LEL)	No data available
Upper Explosive Limit (UEL)	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	No data available
Viscosity, Dynamic	No data available
Solubility in Water	Dispersible
Partition Coefficient: n-octanol/water	No data available
Volatiles by Volume	>80%

9.2 Other data

No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

No specific test data related to reactivity is available for this product.

10.2 Chemical stability

Stable under normal conditions of use and recommended storage conditions

10.3 Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Extreme temperatures, incompatible materials

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Thermal decomposition products include oxides of carbon, oxides of nitrogen, acrylic monomers, dense black smoke and toxic gases.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Oral Toxicity

Expected to have low acute oral toxicity

Acute inhalation toxicity

Expected to have low acute inhalation toxicity

Acute dermal toxicity

Expected to have low acute dermal toxicity

Skin irritation

May cause skin irritation

Eye irritation

Causes eye irritation

Sensitization

No data available

Genotoxicity in vitro

No data available

Mutagenicity

No data available

Specific organ toxicity - single exposure

No data available

Specific organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Further information

None of the components of this product are listed as carcinogens by OSHA, NTP or ACGIH. No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates that it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12 - ECOLOGICAL INFORMATION**12.1 Toxicity**

The aquatic toxicity of this product has not been experimentally determined. Large spills or discharges of this material may be hazardous to the environment.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulation potential

No data available

12.4 Mobility

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects**Additional ecological information**

Do not allow material to run into surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues; observe all precautions for product. Do not heat or cut empty containers with electric or gas torch because highly toxic vapors and gases are formed. Do not reuse without thorough commercial cleaning and reconditioning. If containers are to be disposed, ensure that all product residues are removed prior to disposal.

This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff contact with soil and entry into waterways, drains and sewers.

Hazardous waste: The classification of this product may meet the criteria for a hazardous waste.

SECTION 14 - TRANSPORT INFORMATION

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

NOT REGULATED FOR TRANSPORT**SECTION 15 - REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for substance or mixture****U. S. Federal Regulations**

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

TSCA Status: The components of this product are listed on the TSCA Inventory. Diethylene Glycol Monobutyl Ether (listed under Glycol Ethers, SARA code N230) is subject to the reporting requirements subject to TSCA 12(b) Export Notification. (This requirement applies to exports from the United States only).

Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories: Acute Health Hazard

SARA 313 Information: Glycol Ethers (SARA code N230) are subject to the reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): This product contains the following CERCLA reportable substances: Glycol Ethers - There is no RQ assigned to this broad class, although the class is a CERCLA hazardous substances. Refer to 50 Federal Register 13456 (April 4, 1985).

Clean Air Act (CAA)

Glycol Ethers (EDF-109) are listed as Hazardous Air Pollutants (HAPs) designated in CAA Section 112(b).

This product does not contain any Class 1 Ozone depleters.

This product does not contain any Class 2 Ozone depleters.

Clean Water Act (CWA)

Glycol Ethers (EDF-109) are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

This product contains trace amounts of substances known to the State of California to cause cancer, birth defects or other reproductive harm.

Other U.S. State Inventories

Diethylene Glycol Monobutyl Ether (CAS #112-34-5) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: PA (as Glycol Ethers)

Canada

WHMIS Hazard Symbol and Classification: None allocated

Canadian National Pollutant Release Inventory (NPRI): No data available

European Economic Community

Labeling (67/548/EEC or 1999/45/EC)

Risk Phrases: R36 - Irritating to eyes.

Safety Phrases: S2 - Keep out of the reach of children.

S24/25 - Avoid contact with skin and eyes.

S37/39 - Wear suitable gloves and eye protection.

WGK, Germany (Water danger/protection): 1

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16 - OTHER INFORMATION

Hazardous Material Information System (HMIS)


Health	1
Flammability	0
Physical Hazard	0
Personal Protection	B



HMIS & NFPA Hazard Rating Legend

* = Chronic Health Hazard	2 = MODERATE
0 = INSIGNIFICANT	3 = HIGH
1 = SLIGHT	4 = EXTREME

National Fire Protection Association (NFPA)



Full text of GHS Hazard Phrases referenced in Section 3 (not covered in Section 2)

- H315 - Causes skin irritation
- H318 - Causes serious eye damage
- H319 - Causes serious eye irritation
- H361f - Suspected of damaging fertility

The information herein is given in good faith and is believed to be accurate and correct; however, no warranty, expressed or implied, is made. Seal 'n Lock System Corp. assumes no responsibility for personal injury or property damage that may arise from the use of this material since the conditions of handling and use are beyond our control. It is the responsibility of the user to comply with all Federal, State and local laws and regulations regarding use of this product. Vendees or users assume all risks associated with the use of this material.

Version 2

Revision Date: Formulation revision - 15 July 2016

Supersedes SDS dated 27 March 2016