

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

**1.1 Product identifier**

**Product name:** Degreaser  
**Product codes(s):** Degreaser  
**Synonym(s):** Aqueous based cleaner/degreaser

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**General use:** Degreaser and general purpose cleaner  
**Uses advised against:** No uses advised against

**1.3 Details of the supplier and of the safety data sheet**

**Manufacturer/Distributor**  
Seal 'n Lock System Corp.  
2401 Destiny Way  
Odessa, FL 33556 USA  
813-852-1500

**1.4 Emergency telephone number:** INFOTRAC: 800-535-5053; Outside the USA or Canada: +1-352-323-3500

**SECTION 2 - HAZARDS IDENTIFICATION**

**2.1 Classification of substance or mixture**

**Product definition:** Mixture  
**Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation (EC) No 1272/2008**  
Skin Corrosion - Category 1B [H314]  
Specific Target Organ Toxicity, Single Exposure - Category 3 (STOT SE 3) [H335]

**2.2 Label elements**

**Hazard symbol(s):**



**Signal word:**

Danger

**Hazard statement(s):**

H314 - Causes severe skin burns and eye damage  
H335 - May cause respiratory irritation

**Precautionary statements:**  
[Prevention]

P260 - Do not breathe mist, vapor or spray.  
P264 - Wash hands and other skin areas exposed to material thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves, protective clothing, eye protection and face protection.

[Response]

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water or shower.  
P363 - Wash contaminated clothing before reuse.  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.  
P321 - Specific treatment: Refer to product label and Section 4 of this SDS. Seek medical advice as needed.  
P305 + P351 + P338 P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

[Storage]

P405 + P403 + P233 - Store locked up in a well-ventilated place. Keep container tightly closed.

[Disposal]

P501 - Dispose of contents and containers in accordance with national and local regulations.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**

Repeated exposure may cause skin dryness or cracking.

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances**

Not applicable

**3.2 Mixtures**

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
5 - 15	Silicic Acid, Disodium Salt	6834-92-0	229-912-9	014-010-00-8	H314, H335
1 - 8	2-Butoxyethanol	111-76-2	203-905-0	603-014-00-0	H302, H312, H315, H319, H332
1 - 5	Dodecylbenzenesulfonic acid	27176-87-0	248-289-4	-----	-----
<1	Sodium Hydroxide	1310-73-2	215-185-5	011002-00-6	H314

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## SECTION 4 - FIRST AID MEASURES

### 4.1 Description of first aid measures

**Inhalation:** If product mist or spray causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. Loosen tight fitting clothing such as a collar, tie, belt or waistband. If symptoms persist, seek medical attention.

**Eyes:** Immediately flush eyes with large amounts of water for 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after the first 2 minutes and continue rinsing. Seek immediate medical attention, preferably from an ophthalmologist.

**Skin:** Flush skin with large amounts of water while removing contaminated clothing. Wash affected skin areas with soap and water followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. If skin irritation persists, seek medical attention.

**Ingestion:** Rinse mouth with water if the victim is conscious. Remove dentures, if any. If swallowed, give 1 - 2 cupfuls of water or milk if the victim is conscious, alert and able to swallow. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Obtain immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential health symptoms and effects

**Eyes:** Causes severe eye irritation and serious eye damage. Symptoms may include redness, swelling, pain, tearing, blurred vision and burns. May cause permanent eye damage. The degree of injury depends on the concentration and duration of contact.

**Skin:** Causes severe skin irritation and burns with redness, itching, swelling and pain. The degree of injury depends on the concentration and duration of contact. Prolonged and repeated contact with unprotected skin may cause defatting of the skin and dermatitis.

**Inhalation:** Mist or spray may cause irritation of and burns to the nose, throat and respiratory tract. Symptoms may include burning sensation of the nose and mouth, sore throat, coughing, headache and shortness of breath.

**Ingestion:** Cause severe irritation and burns to the gastrointestinal tract. Symptoms include burns to the lips, mouth and throat, nausea, vomiting, abdominal pain and diarrhea. May cause headache and dizziness. Repeated ingestion may be harmful.

**Chronic:** Prolonged or repeated skin contact may cause defatting of the skin, dermatitis or aggravate existing skin conditions. Chronic inhalation, skin absorption or ingestion can cause hemolysis and blood disorders. 2-Butoxyethanol is a known animal carcinogen. Refer to Section 11.2.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Advice to doctor and hospital personnel:** Treat symptomatically and supportively.

## SECTION 5 - FIRE FIGHTING MEASURES

### 5.1 Extinguishable media

**Suitable methods of extinction:** Use extinguishing media suitable for surrounding fire.

**Unsuitable methods of extinction:** None known

### 5.2 Special hazards arising from the substance or mixture

Closed containers may rupture due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

**Explosion hazards:** None known

### 5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff water to prevent environmental contamination.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2. Ventilate the area. Remove all sources of ignition. No smoking. Clean up spills immediately. Spills create a slip hazard.

### 6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

### 6.3 Methods and materials for containment and cleaning up

Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Wash contaminated area with soap and water. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

For indications about waste treatment, see Section 13.

## SECTION 7 - HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. Do not inhale mist or vapor. No smoking. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator.

#### Advice on protection against fire and explosion

No special precautions against fire and explosion are required.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated areas away from incompatible materials (see Section 10.5), food and drink. Transfer only to approved containers having correct labeling. Keep container tightly closed. Protect container against physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers are hazardous when empty as they contain product residues. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Do not take internally. Keep locked up and out of reach of children.

## 7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

### Occupational exposure limits

CAS Number	Ingredient	OSHA PEL - TWA	ACGIH TLV	NIOSH
111-76-2	2-Butoxyethanol	50 ppm; 240 mg/m <sup>3</sup>	50 ppm TWA; 100 mg/m <sup>3</sup> ceiling (aerosol only)	700 ppm
1310-73-2	Sodium Hydroxide	2 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> Ceiling	2 mg/m <sup>3</sup> Ceiling

## 8.2 Exposure controls

**Engineering measures:** Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

**Individual protection measures:** Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

**Hygiene measures:** Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

**Eye/face protection:** Wear protective goggles or safety glasses with unperforated side shields during use. Refer to 29 CFR 1910.133, ANSI Z87.1 or European Standard EN 166.

**Hand protection:** Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

**Other protective equipment:** Protective clothing. Wear protective boots if the situation requires.

**Respiratory protection:** None required with normal use. Always use an approved respirator when vapor/aerosols are generated. Where risk assessment shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Environmental exposure controls:** Do not empty into drains.

*PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.*



Safety Glasses



Gloves



Protective Apron

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance	Clear, blue colored liquid
Odor	Mild
Odor Threshold	No data available
Molecular Weight	Not applicable
Chemical Formula	Not applicable
pH	11 - 12
Freezing/Melting Point, Range	<0 °C (<32 °F)
Initial Boiling Point	100 °C (212 °F)
Evaporation Rate	<1 (Water =1)
Flammability (solid, gas)	Not applicable
Flash Point	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Lower Explosive Limit (LEL)	No data available
Upper Explosive Limit (UEL)	No data available
Vapor Pressure	No data available
Vapor Density	>1 (Air = 1)
Relative Density	No data available
Viscosity	<50 cPs
Solubility in Water	Complete
Partition Coefficient: n-octanol/water	No data available
Oxidizing Properties	Not applicable
Explosive Properties	Not applicable
Volatiles by Weight @ 21 °C	>80%

## 9.2 Other data

No data available

## SECTION 10 - STABILITY AND REACTIVITY

### 10.1 Reactivity

No special reactivity has been reported.

### 10.2 Chemical stability

Stable under recommended storage conditions

### 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

Temperature extremes, contact with incompatible materials

### 10.5 Incompatible materials

Strong oxidizing agents, acids, bases, reducing agents

### 10.6 Hazardous decomposition products

Thermal decomposition products include oxides of carbon, oxides of nitrogen, oxides of sodium, oxides of sulfur.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute oral toxicity

This product is expected to have low acute oral toxicity.

#### Acute inhalation toxicity

Product is expected to have low acute inhalation toxicity.

#### Acute dermal toxicity

Product is expected to have low acute dermal toxicity.

#### Skin irritation

Causes severe skin burns.

#### Eye irritation

Causes severe eye irritation and serious eye damage.

#### Sensitization

No data available

#### Genotoxicity in vitro

No data available.

#### Mutagenicity

No data available

#### Specific organ toxicity - single exposure

May cause respiratory irritation.

#### Specific organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

### 11.2 Further information

2-Butoxyethanol (CAS #111-76-2): IARC Group 3 carcinogen - *Not classifiable as to its carcinogenicity to humans*. Not listed as a carcinogen by ACGIH, NTP or OSHA. In long-term animal studies with 2-butoxyethanol, small but statistically significant increases in tumors were observed in mice but not rats. The effects are not believed to be relevant to humans.

In animals, hemolysis (red blood cell breakage) and secondary effects to the kidneys and liver have been reported. Human red blood cells have been shown to be significantly less sensitive to hemolysis than those of rodents and rabbits. 2-Butoxyethanol inhalation exposure in laboratory animals has been found to reduce body weight gain and food consumption in addition to hemolysis. After exposure was discontinued, these effects in animals disappeared. Adverse reproductive or birth effects were not reported in animals except when exposures were high enough to cause significant maternal toxicity.

No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates that it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

## SECTION 12 - ECOLOGICAL INFORMATION

### 12.1 Toxicity

Large discharges of this product to the environment may increase the pH of aquatic systems to a pH >10, which may be fatal to aquatic life and soil micro-organisms.

### 12.2 Persistence and degradability

Organic materials in this product are expected to biodegrade over time. Inorganic substances are not biodegradable. Methods for the determination of biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulation potential

The bioaccumulation potential for this product is low.

### 12.4 Mobility

This material is expected to have high mobility in soil.

### 12.5 Results of PBT and vPvB assessment

No data available

## 12.6 Other adverse effects

### Additional ecological information

Large discharges may contribute to increasing the alkalinity of effluent treatment systems and injure/kill sewage treatment organisms.

Do not allow material to run into surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## SECTION 13 - DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Methods of disposal:** The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**RCRA F-Series:** No listings above the reportable threshold (de minimis)

**RCRA U-Series:** No listings above the reportable threshold (de minimis)

## SECTION 14 - TRANSPORT INFORMATION

**Note:** Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

**NOT REGULATED FOR TRANSPORT**

## SECTION 15 - REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

#### U. S. Federal Regulations

**OSHA Hazard Communication Standard:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

**OSHA Process Safety Management Standard:** This product is not regulated under OSHA PSM Standard 29 CFR 1910.119.

**EPA Risk Management Planning Standard:** This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

**EPA Federal Insecticide, Fungicide and Rodenticide Act:** This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.

**Toxic Substance Control Act (TSCA) Inventory:** All of the substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

**Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number**  
No listings

**Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number:** No listings

**Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals:** No listings

#### **Superfund Amendments and Reauthorization Act (SARA)**

**SARA Section 311/312 Hazard Categories:** Acute Health Hazard, Chronic Health Hazard

**SARA 313 Information:** 2-Butoxyethanol (CAS #111-76-2) is subject to the reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

**SARA 302/304 Extremely Hazardous Substance:** None of the components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

**SARA 302/304 Emergency Planning & Notification:** None of the components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

**Comprehensive Response Compensation and Liability Act (CERCLA):** This product contains the following CERCLA reportable substances:

Dodecylbenzenesulfonic Acid (CAS #27176-87-0), RQ - 454 kg (1,000 lbs)

Sodium Hydroxide (CAS #1310-73-2), RQ - 453.6 kg (1,000 lbs)

#### **Clean Air Act (CAA)**

This product does not contain Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain Class 1 Ozone depletors.

This product does not contain Class 2 Ozone depletors.

#### **Clean Water Act (CWA)**

Sodium Hydroxide (CAS #1310-73-2) is a Hazardous Substance under the CWA.

This product does not contain Priority Pollutants under the CWA.

This product does not contain Toxic Pollutants under the CWA.

#### U.S. State Regulations

##### **California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

This product contains no chemicals at concentrations in excess of the reporting threshold (de minimis) known to the state of California to cause cancer, birth defects or other reproductive harm.

##### **Other U.S. State Inventories**

2-Butoxyethanol (CAS #111-76-2) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: CA, MN, PA, RI, WI.

Dodecylbenzenesulfonic Acid (CAS #27176-87-0) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: CA, DE, MA, NJ, NY, PA

Sodium Hydroxide (CAS #1310-73-2) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants List(s): CA, DE, ID, MA, MN, NJ, PA, RI, WA, WI.

## Canada

### WHMIS Hazard Classification

Causes severe skin burns and eye damage  
May cause respiratory irritation

**Canadian National Pollutant Release Inventory (NPRI):** 2-Butoxyethanol is listed on the NPRI.

### European Economic Community

**WGK, Germany (Water danger/protection):** 2 (hazardous to waters)

### Global Chemical Inventory Lists

Country	Inventory Name	Inventory Listing*
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
Europe	Inventory of New and Existing Chemicals (EINECS)	Yes
United States	Toxic Substance Control Act (TSCA)	Yes
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (KECI)	Yes
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes

\*Yes - all components of this product are in compliance with the inventory requirements administered by the governing country.

No - One or more components of this product are not on the inventory and are not exempt from listing.

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

## SECTION 16 - OTHER INFORMATION

### Hazardous Material Information System (HMIS)

Health	2
Flammability	0
Physical Hazard	0
Personal Protection	B


#### HMIS Hazard Rating Legend

0 = Minimal 1 = Slight 2 = Moderate 3 = Serious  
4 = Severe \* = Chronic Health Hazard

#### NFPA Hazard Rating Legend

0 = Insignificant 1 = Slight 2 = Moderate  
3 = High 4 = Extreme

### National Fire Protection Association (NFPA)



### Full Text of GHS Hazard Phrases Referenced in Section 3 (not covered in Section 2)

H302 - Harmful if swallowed

H315 - Causes skin irritation

H332 - Harmful if inhaled

H312 - Harmful in contact with skin

H319 - Causes serious eye irritation

### Abbreviation Key

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ADR</b>	Accord Dangereux Routier (European regulations concerning the international transport of dangerous goods by road)
<b>CAS</b>	Chemical Abstract Services
<b>CFR</b>	Code of Federal Regulations
<b>DOT</b>	Department of Transportation
<b>EMS Guide</b>	Emergency Response Procedures for Ships Carrying Dangerous Goods
<b>EPA</b>	Environmental Protection Agency
<b>ERG</b>	Emergency Response Guide Book
<b>FDA</b>	Food and Drug Administration
<b>GHS</b>	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
<b>HCS</b>	Hazard Communication Standard
<b>IARC</b>	International Agency for Research on Cancer
<b>IATA</b>	International Air Transport Association
<b>ICAO</b>	International Civil Aviation Organization
<b>IDLH</b>	Immediately Dangerous to Life and Health
<b>IMDG</b>	International Maritime Dangerous Goods
<b>IMO</b>	International Maritime Organization
<b>mppcf</b>	Millions of Particles Per Cubic Foot
<b>NA</b>	North America
<b>NAERG</b>	North American Emergency Response Guide Book
<b>NIOSH</b>	National Institute for Occupational Safety
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PBT</b>	Persistent, Bioaccumulating and Toxic
<b>PEL</b>	Permissible Exposure Limit
<b>PMCC</b>	Pensky-Martens Closed Cup
<b>ppm</b>	Parts Per Million
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>RID</b>	Dangerous Goods by Rail
<b>RQ</b>	Reportable Quantity

<b>TCC/Tag</b>	Tagliabue Closed Cup
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substance Control Act
<b>TWA</b>	Time-Weighted Average
<b>UN</b>	United Nations
<b>VOC</b>	Volatile Organic Compounds
<b>vPvB</b>	Very Persistent and Very Bioaccumulating
<b>WHMIS</b>	Workplace Hazardous Materials Information System

The information herein is given in good faith and is believed to be accurate and correct; however, no warranty, expressed or implied, is made. Seal 'n Lock System Corp. assumes no responsibility for personal injury or property damage that may arise from the use of this material since the conditions of handling and use are beyond our control. It is the responsibility of the user to comply with all Federal, State and local laws and regulations regarding use of this product. Vendees or users assume all risks associated with the use of this material.

Revision date: 20 June 2018

Supersedes SDS Version 2: 25 March 2016